



**Somerset
Timbers**

Retail Pricelist

18 May 2026

We Know Wood.

For retail enquiries email: sales@somtim.co.za
For wholesale enquiries email: trade@somtim.co.za

021 845 8713
www.somtim.co.za



**Somerset Timbers
Price List**

CONTENTS

Pages 3 to 5	<p>CONSTRUCTION TIMBER</p> <p>SABS Treated Structural pine Joist and beam supports Laminated beams and posts Wet off Saw and Industrial untreated pine</p>
Pages 6 to 8	<p>DECKING PRODUCTS</p> <p>Hardwood decking, Pine decking, Thermory decking</p>
Page 9	<p>DECKING SEALERS</p> <p>Decking sealers and coatings</p>
Page 10 to 11	<p>DECKING FASTENERS</p> <p>Decking Fasteners and tools</p>
Page 12	<p>BOARDS and PLYS</p> <p>Shutter ply, OSB, Marine ply, Birch ply, Hardboard</p>
Pages 13 to 15	<p>INTERIOR PRODUCTS</p> <p>Flooring, Ceiling, Skirting, Quadrants, etc.</p> <p>Endura Pine Planed untreated Laminated stair treads and handrails Laminated shelving and counter tops</p>
Pages 16 to 19	<p>EXTERIOR PRODUCTS</p> <p>Pine cladding and lapboard Nutec Fibre cement cladding Fibre cement fascia and sheets Timber fascia and Valley board Pine Rough & Planed for Fencing Siberian Larch Thermory Cladding</p>
Page 20	<p>HARDWOODS</p> <p>Garapa hardwood structural Meranti hardwood planed Grandis hardwood planed</p>
Page 21 to 22	<p>POLES</p> <p>SABS Tapered Round Poles Cylindrical Poles Laths and Droppers Split Poles Planter boxes Delivery Charges</p>
Page 23 to 24	<p>What is Endura ?</p> <p>About us Terms and Conditions</p>



Somerset Timbers



Endura™



Retail pricelist: 18 May 2026
Our general terms and conditions apply
All prices include 15% VAT






021 8458713 www.somtim.co.za
257 Broadlands Road, Strand, 7140
South Africa



All pricing is to be used as a guide only and is subject to change.

STRUCTURAL PRODUCTS

STRUCTURAL PINE CCA H3 TREATED (S5 SIZED)

Profile	Size	Sized to	Stock lengths	Price per meter
	38 x 38 mm	36x36 mm	3.0m, 3.6m, 4.2m, 4.8m, 6.0m	R14.49 /m
	38 x 50 mm	36x48 mm	3.0m, 3.6m, 4.2m, 4.8m	R20.04 /m
	38 x 76 mm	36x74 mm	2.4m, 2.7m, 3.0m, 3.6m, 4.2m, 4.8m	R26.00 /m
	38 x 114 mm	36x111 mm	2.4m, 2.7m, 3.0m, 3.6m, 4.2m, 4.8m, 5.4m, 6.0m, 6.6m	R39.03 /m
	38 x 152 mm	36x149 mm	2.4m, 3.0m, 3.6m, 4.2m, 4.8m, 5.4m, 6.0m, 6.6m	R53.29 /m
	38 x 228 mm	36x225 mm	2.4m, 3.0m, 3.6m, 4.2m, 4.8m, 5.4m, 6.0m, 6.6m	R95.14 /m
	50 x 76 mm	48x74 mm	3.0m, 3.6m, 4.2m, 4.8m, 5.4m, 6.0m, 6.6m	R39.94 /m
	50 x 152 mm	48x149 mm	2.4m, 3.0m, 3.6m, 4.2m, 4.8m, 5.4m, 6.0m, 6.6m	R78.61 /m
	50 x 228 mm	48x225 mm	2.4m, 3.0m, 3.6m, 4.2m, 4.8m, 5.4m, 6.0m, 6.6m	R129.11 /m
	76 x 228 mm	74x225 mm	3.0m, 3.6m, 4.2m, 4.8m, 5.4m, 6.0m, 6.6m	R215.00 /m

Sizing: Planing all sides to ensure uniform size.

i Quality timber is our priority, and we source our structural timber DIRECT from the best sawmills in South Africa.

CCA Treatment is the standard water based preservative treatment prescribed by law and SANS approved on all timber used in construction. It imparts a green/brown colour to the timber. Clear treatment with SANS Vacsol Azure is available on order. This requires a lead time of approximately 3-5 days. Untreated structural is also available ex stock or on order. CCA H3 treatment - Somerset Timbers offers CCA H3 standard timber as our treated timber solution. This ensures durability and protection, making it ideal for outdoor and structural use.

Needing this timber planed?

Our sized structural timber above has already been sized through a planer which generally results in a smooth finish. For projects requiring a super smooth finish, speak to our sales team to place an order for planed structural timber.

JOIST SUPPORT BLOCKS







Rika blocks

Rika Blocks are designed to make the laborious job of installing timber decks easy and less time consuming. No more need to struggle to dig precise holes and wait for days for concrete to cure. EPS light weight concrete - 500kg loading allowed per block. Ideal for walkways, deck supports, and structure supports. Quick and easy to install - accepts 38mm joist or 50mm joist 290mm wide x 290mm long, 190mm total height, 140mm base to seat height




R 139.86
each


LAMINATED BEAMS AND POSTS

LAMINATED PINE BEAMS (SABS GRADE 8) – CLEAR AZURE H2 TREATED




Profile	Size	4.8m	6.0m	6.6m	7.8m	9.6m	12.0m	
	45 x 231 mm	X	R 1664	R 1830	R 2163	R 2662	R 3328	<p>Laminated beams are engineered products using special industrial glues (D4 exterior) for carrying loads where solid timber is unfeasible. They MUST NOT be exposed to direct rain and weather and must be used undercover. i.e not to be used under exposed decks. We recommend sealing with a good quality sealer to prevent excessive drying out. Pricing is per beam.</p>
	45 x 297 mm	X	R 2139	R 2353	R 2781	R 3423	R 4278	
	70 x 231 mm	X	R 2588	R 2847	R 3365	R 4141	R 5176	
	70 x 297 mm	X	R 3328	R 3660	R 4326	R 5324	R 6655	
	70 x 363 mm	X	R 4067	R 4474	R 5287	R 6507	R 8134	
	140 x 140 mm	R 2415	R 2970	X	X	X	X	

Endura LAMINATED PINE POSTS – CLEAR AZURE H2 TREATED




Profile	Size	2.4m	3.0m	3.6m	4.8m	6.0m	
	65 x 65 mm	R 301	R 376	X	X	X	<p>Posts MUST NOT be exposed to vertical rain and weather and must be used undercover. When used exposed to rain and sun they must be sealed with a good quality sealer.</p>
	100 x 100 mm	R 699.21	R 874.01	R 1 048.82	R 1 398.41	R 1 748.02	

 Treatment: All Pine beams and posts are SABS Azure Clear Treated to H3 Classification. Structural grading: Grade 8 beams are SABS Structural Grade 8 and conform to SANS / SABS Spec 1460. Due to manufacturing reasons, laminated beams and posts may vary slightly in dimension. Please ask us to measure the exact width and thickness if this is critical. Care and maintenance: Laminated beams and posts MUST NOT be exposed to direct rain. They must be painted with a well-maintained sealer such as Rystix, TimbaCare or Galseal. Various other sizes and lengths are available on order.




Endura GRANDIS LAMINATED BEAMS AND POSTS

Profile	Size	Lengths	Price per meter	
	65 x 65 mm	2.4m, 3.0m	R 185 /m	<p>Grandis is sourced from select mills and finger jointed and laminated. Laminated with an external D4 Grade waterproof glue. Care and maintenance: If used externally, Laminated beams and posts MUST be painted with a well-maintained sealer such as Rystix TimbaCare or Galseal.</p>
	67 x 210 mm	4.8m, 6.0m	R 653 /m	




Endura GARAPA LAMINATED POSTS

Profile	Size	Lengths	Price per meter	
	70 x 70 mm	1.2m, 1.5m	R 313 /m	<p>Manufactured from Brazilian Garapa. Laminated with an external D3 Grade waterproof glue. Please contact us to enquire for more information.</p>
	100x100 mm	*Custom lengths available	*Price on Request	

WET OFF SAW PINE

Profile	Size	Grade	Lengths	Price per meter	
	19 x 102 mm	Mill Run	2.4m, 3.0m, 3.6m	R 12.12 /m	"Wet off Saw" or "WOS" means straight from the sawmill. Usually the most economical timber. We are unable to treat or plane this timber.
	50 x 76 mm	Mill Run	3.0m	R 24.22 /m	

FORMWORK PINE – KILN DRIED

Profile	Size	Grade	Lengths	Discount	Price per meter	
	25 x 114 mm	Industrial grade	3.0m	LESS 15%	R 27.57 /m	Industrial timber is the raw material for a variety of products. Kiln dried to 12.5% Moisture content.
	50 x 228 mm	Black Cross	3.0m, 3.6m, 4.8m		R 81.61 /m	
			4.2m		R 81.61 /m	Our range of structural sizes is also available untreated and dried – please ask our sales department.

CLEAR PINE SOLID – KILN DRIED

Profile	Size	Grade	Lengths	Price per meter	
	25 x 114 mm	Clear grade	3.0m	R 32.75 /m	Our clear pine is ideal for DIY projects where zero knots are required for a perfect finish.
	25 x 152 mm	Clear grade	3.0m	R 33.63 /m	

DECKING PRODUCTS

EXTERIOR HARDWOOD DECKING

GARAPA HARDWOOD DECKING 19 X 90 MM



Lengths	Price /m	Discount	Nett price /m	Nett price /m2
Shorts 0.91m, 1.22m, 1.52m	R 89.50 /m	25%	R 67.13 /m	R 714 /m2
Mediums 1.83m, 2.13m, 2.44m, 2.7m	R 89.50 /m	20%	R 71.60 /m	R 762 /m2
Longs 3.05m, 3.35m, 3.66m, 3.96m	R 89.50 /m	10%	R 80.55 /m	R 857 /m2
Longs 4.27m, 4.57m, 4.88m, 5.18m, 5.49m, 5.79m, 6.09m	R 98.50 /m		R 98.50 /m	R 1048 /m2

Beautiful classic 19x90mm Garapa hardwood decking from South America. 100% clear heartwood. You cannot go wrong with this choice. Combine with our amazing specials on shorter lengths for the best quality and price per square meter. A very popular choice as it is easy to work, stable and very durable Garapa is a light Golden brown and left un-oiled it will change with UV exposure to a light grey classic decking colour. We do however recommend oiling with our Galseal decking oil about 2 months after installation. See next section for our wider 140mm decking for a more modern look or our heavy duty 21mm for commercial applications.

GARAPA HARDWOOD WIDE DECKING 19 X 140 MM



Lengths	Price /m	Discount	Nett price /m	Nett price /m2
Shorts 0.91m, 1.22m, 1.52m	R 143.50 /m	25%	R 107.63 /m	R 769 /m2
Mediums 1.83m, 2.13m, 2.44m.	R 143.50/m	20%	R 114.80 /m	R 820 /m2
Longs 3.05m, 3.35m, 3.66m, 3.96m,	R 143.50/m		R 143.50 /m	R 1 025 /m2
Longs 4.27m, 4.57m, 4.88m, 5.18m, 5.49m, 5.79m, 6.09m	R 152.00 /m		R 152.00 /m	R 1 086 /m2

Beautiful classic 19x140mm Garapa hardwood decking from South America. 100% clear heartwood. A wider modern look. Combine with our amazing specials on shorter lengths for the best quality and price per square metre.

The wider profile is a very popular choice and installs slightly quicker than narrower boards but will have some tendency to cup in high sun areas. Install with our hardwood deck screws or standard deck screws (Camo and Easy clip not recommended)

Garapa is a light Golden brown and left un-oiled will change with UV exposure to a light grey classic decking colour. We do however recommend oiling with our Galseal decking oil about 2 months after installation.

GARAPA HARDWOOD WIDE COMMERCIAL DECKING 21 X 145 MM



Lengths	Price /m	Discount	Nett price /m	Nett price /m2
Shorts 0.91m, 1.22m	R 159.30 /m	25%	R 119.47 /m	R 801 /m2
Mediums 1.83m, 2.13m	R 159.30 /m	25%	R 119.47 /m	R 801 /m2
Longs 2.74m	R 159.30 /m	10%	R 143.37 /m	R 962 /m2
Longs 3.96m, 4.27m, 4.57m, 5.18m, 5.49m, 5.79m	R 159.30 /m		R 177.00 /m	R 1070 /m2

Our **heavy duty** 21x145 decking is ideal for commercial applications or where a wider joist spacing of 500mm is required.

Used in restaurants and shopping malls, the heavier profile provides a solid base.

Install with our standard deck screws in 70mm length (Camo and Easy clip MUST NOT be used)

BALAU HARDWOOD REEDED DECKING 19 X 90 MM



Lengths	Price /m	Discount	Nett price /m	Nett price /m2
Shorts 1.8m, 2.1m	R 82.00 /m	20%	R 65.60 /m	R 697 /m2
Medium 2.4m, 2.7m, 3.0m, 3.3m	R 82.00 /m	10%	R 73.80 /m	R 785 /m2
Longs 3.6m, 3.9m	R 82.00 /m	5%	R 77.90 /m	R 829 /m2
Longs , 4.2m, 4.5m, 4.8m	R 82.00 /m		R 82.00 /m	R 872 /m2

Kiln Dried Yellow Bangkirai Balau from Malaysia. Used extensively throughout South Africa. Balau is probably the oldest imported decking into South Africa. We only stock premium grade T-Deck Balau. Install with our hardwood deck screws or standard deck screws (Camo and Easy clip not recommended). Balau is dark brown in colour and will fade to a light grey colour if left unsealed. We recommend using the smooth side on top.

GRANDIS HARDWOOD DECKING 22 X 94 MM



Lengths	Price /m	Discount	Nett price /m	Nett price /m2
Mediums 1.8m, 2.1m, 2.4m	R 64.50 /m	5%	R 57.95 /m	R 627 /m2
Longs 3.0m, 3.6m, 4.2m	R 64.50 /m		R 61.00 /m	R 659 /m2

A decking timber from renewable forests in South Africa. Light in colour and weight but durable and easy to install. Install with our hardwood deck screws or standard deck screws (Camo and Easy clip not recommended).

JATOBA HARDWOOD DECKING 19 X 90 MM



Lengths	Price /m	Discount	Nett price /m	Nett price /m2
Shorts 1.83m, 2.13m, 2.44m,	R 81.00 /m	25%	R 60.75 /m	R 647 /m2
Mediums 2.74m	R 81.00 /m	10%	R 72.90 /m	R 776 /m2
Longs 3.05m, 3.35m, 3.66m, 3.96m, 4.27m, 4.57m, 4.88m, 5.18m, 5.49m, 5.79m, 6.09m	R 81.00 /m		R 81.00 /m	R 862 /m2

Also known as Brazilian Cherry, this South American beautiful hardwood decking is very durable and hard. Dark brown with beautiful streaks in a 19x90mm size.

MASSARANDUBA HARDWOOD DECKING 19 X 90 MM



Lengths	Price /m	Discount	Nett Price /m	Nett price /m2
Shorts 1.83m, 2.13m, 2.44m, 2.74m	R 99.50 /m	20%	R 79.60 /m	R 847 /m2
Mediums 3.05m, 3.35m, 3.66m, 3.96m	R 99.50 /m	10%	R 89.55 /m	R 953 /m2
Longs 4.27m, 4.57m, 4.88m, 5.18m, 5.49m, 5.79m, 6.09m	R 99.50 /m		R 99.50 /m	R 1059 /m2

Massaranduba (also known as "Brazilian Redwood") is known for its striking beauty and exceptional durability, Massaranduba is one of the most sought-after decking timbers in the world. This premium hardwood from South America boasts a deep, rich chocolate colour that matures gracefully over time. Renowned for its strength and smooth finish, Massaranduba offers a touch of refined luxury to any outdoor space. Due to its exclusivity and limited availability, this timber is often in high demand and short supply, making it a prized choice for discerning homeowners and builders alike.

* All square metre pricing based on 4mm gap.

EXTERIOR PINE DECKING

SOLID PINE DECKING SMOOTH



Profiles	Lengths	Nett Price/m	Nett Price/m2
22 x 105 mm Smooth	0.9m, 1.2m, 1.5m, 1.8m, 2.1m, 2.4m, 2.7m, 3.0m	R 34.60 /m	R 330 /m2
	3.6m	R 35.46 /m	R 338 /m2
32 x 105 mm Smooth	4.2m, 4.8m	R 47.33 /m	R 451 /m2
	3.0m, 3.6m, 4.2m, 4.8m	R 50.66 /m	R 483 /m2

We manufacture our solid pine decking from sustainable selected kiln dried pine. It is then treated by us to SABS CCA H3 specification. An ideal economical decking. Install with our standard Stainless steel 60mm deck screws for 22mm decking and 70mm length for 32mm decking.

SOLID PINE DECKING REEDED



Profiles	Lengths	Nett Price/m	Nett Price/m2
22 x 105 mm reeded	3.0m	R 43.55 /m	R 415 /m2 (4mm gap)

Reeded pine decking is specially manufactured using Clear and Semi Clear South African pine. It is then treated by us to SABS CCA H3 specification. An ideal economical decking. Install with our standard Stainless steel 60mm deck screws.

BOARDWALK PINE DECKING



Profiles	Lengths	Nett Price/m	Nett Price/m2
36 x 110 mm	1.2m, 1.5m	R 48.61 /m	R 442 /m2

Designed for economical boardwalk with a rough top surface for grip and bevelled edges.

Pine and Hardwood timber decking installation basics.

- Solid supporting structure** The structure must be solidly designed according to SABS Specs to prevent creaks and springy structures. Construction must be to standard as this is the foundation of your deck. Do not exceed the joist and bearer spacing.
- Correct joist spacing** Supporting beams (joists) must be: 450mm or less for 19mm or 22mm Decking and 600mm or less for 32mm Decking. **DO NOT USE WIDER SPACING!**
- Install the fasteners correctly.** Choose the correct fastener for the timber and **DO NOT SKIP FASTENERS:** Use countersink tool with 2 screws at every joist if using standard decking screws.
- Oil your deck** ALL PINE and HARDWOOD DECKING MUST BE OILED after installation and reapplied when dry. Do NOT use a surface sealing varnish or sealer. We recommend easy to use **Endura** Galseal® Timber sealer.


Thermory Decking



Thermory thermowood offers high quality and long-lasting wood products based on environmentally friendly technology. The result is extremely durable, dimensionally stable and climate resistant decking, cladding, flooring, wall panelling that is unrivalled in both performance and sustainability.




THERMORY ASH DECKING

Profile	Lengths	Nett Price/m	Nett Price/m2
 20 x 95 mm (Edge grooved, and End matched)	2.1m, 2.4m, 3.3m	R 174 /m	R 1 757 /m2
20 x 118 mm (End matched PaCS snap down system)	1.5m, 1.8m, 2.4m, 2.7m	R 222.00 /m	R 1 819 /m2
20 x 150 mm (Edge grooved, and End matched)	1.5m, 1.8m, 2.1m, 2.4m, 2.7m	R 307.00 /m	R 1 993 /m2

With its smooth finish and its rich, dark colour, thermally modified ash is an exceptionally high-value wood.

THERMORY PINE DECKING




Profile	Lengths	Nett Price /m	Nett Price / m2
 26 x 140 mm (Standard)	3.0m, 3.3m, 3.6m 4.5m	R 128.00 /m	R 889 /m2
26 x 140 mm (Edge grooved)	3.6m, 3.9m, 4.5m	R 128.00 /m	R 889 /m2

With its low moisture absorption, thermo-pine twists, cups and bends less than untreated wood in outdoor use, with less shrinkage and expansion.

DECKING COATINGS and SEALANTS

Endura™ GALSEAL EXTERIOR DECKING OIL



Colour	1 litre	5 litre
 Teak	R 147.00 ea	R 546.00 ea
 Light Oak	R 147.00 ea	R 546.00 ea
 Mahogany	R 147.00 ea	R 546.00 ea



Endura Galseal oil - Approximate coverage of 15m2 per litre – at least 2 coats - 3 recommended.

Mahogany, teak and light oak colours. For oiling decking, poles, wendy houses, and fencing. Does not leave a thick coating on the surface.



OSMO DECKING OIL



Description	Price
Osmo Decking Oil Standard 750ml	R 619.90 ea
Osmo Decking Oil 430 Clear Satin Anti-slip 750ml	R 769.90 ea
Osmo Decking Oil Standard 2.5 lt	R 1 999.90 ea

Natural oil based protective finish for exterior wood that does not peel, crack, flake or blister. Microporous, breathable finish allowing the wood to breath and reduces the risk of swelling and shrinkage.

Anti-Slip Decking Oil reduces the risk of slipping and extends the life of the pigmented base coat by providing extra protection against weathering. The surface is water-repellent, weatherproof and UV-stable. The finish is protected against mold, algae and fungal attack.



Retail pricelist: 18 May 2026
Our general terms and conditions apply
All prices include 15% VAT

021 8458713 www.somtim.co.za
257 Broadlands Road, Strand, 7140
South Africa



All pricing is to be used as a guide only and is subject to change.

DECKING FASTENERS and TOOLS

STANDARD DECK SCREWS

Profile	Length	Pack of 200	Pack of 1000	Price per m2 (50 per m2)
	30mm	R 182 /pk	-	R 45 /m2
	40mm	R 230 /pk	-	R 58 /m2
	50mm	R 262 /pk	R 1 133 /pk	R 66 /m2
	60mm	R 303 /pk	R 1 308 /pk	R 75 /m2
	70mm	R 316 /pk	-	R 79 /m2
	100mm	R 465 /pk	-	R 117 /m2



A4 / 316 Stainless steel grade, Torx T25 head for PINE and HARDWOODS.
9mm head size is our standard deck screw and can be used for a variety of applications. Countersinking is required using either a TorkCraft or Betop countersinking tool (see countersink section)

HARDWOOD DECK SCREWS

Profile	Length	Pack of 200	Price per m2 50 per m2
	50mm	R 263 /pk	R 66 /m2
	60mm	R 300 /pk	R 75 /m2
	50mm	R 1 067 /pk	R 267 /m2





A2 / 304 Stainless steel grade, Torx T20 head for HARDWOODS only.
7.5mm head size is our small head deck screw for reduced visibility of the screw. Countersinking is required using a standard 4mm drill bit ONLY.

A2 / 304 Stainless steel grade, Torx T25 head for HARDWOODS only. 7.5mm head size is our small head deck screw for reduced visibility of the screw. Countersinking is required using SPAX Step drill 4 tool (see countersink section)

GENERAL SCREW INSTALLATION GUIDELINES:

i A note on stainless deck screws: A common mistake is too short screws – we recommend a 60mm screw for 19/22mm decking. Only use shorter if circumstances require. Ensure a countersinking tool is always used on pine and hardwood decking. Do not over-torque deck screws as stainless steel is not as strong as standard steel. Install in one motion not stopping while driving the screw. If you are breaking screws, you are over tightening, or your speed is too high, or your countersinking is inadequate. A subsequent retightening of decking screws will be required as your deck timber shrinks over time. Our screws are ideal for other uses like gates and paneling where a durable screw is required.

COUNTERSINK TOOLS

Product	Description	Price
	Predrilling and Countersink tool	R 451 ea
	Adjustable depth tool. Highly recommended due to adjustability of depth.	R 795 ea

EASYCLIP™ DECK CLIPS



Product	Price	Price /m2
Timber Coastal Deck clips	R 902 /box of 250	R 101 /m2
Timber Coastal Deck clips	R 2 852 /box of 800	R 102 /m2
Edge grooving on 19x90mm Garapa:	R 3.88 /m (3-5 day on order)	R 87 /m2



Plastic clips which fit into grooves on the side of the decking. Provides a surface free of screw heads. Garapa 19x90mm only.

CAMO SYSTEM™ HIDDEN DECK FASTENERS



Product	Price	Price /m2
CamoDeck Marksman Tool	R 1405.00 ea	
48mm Protech Screw	R 598 /box of 350	R 80 /m ²
48mm Protech Screw	R 1 031 /box of 700	R 76 /m ²
Pre-drill bit	R 176.50 / pack of 2	



Hidden screwing system using a handheld guide. Screws are installed at a 45-degree angle. Provides a surface free of screw heads. Garapa 19x90mm only.

DECK SPACERS



Product	Price
SPAX Pack of 12 spacers	R 340.00 /box



Provides accurate spacing and setting of screw position. Providing 4mm, 5mm, 6mm and 7mm spacing all in one. 12 spacers per box.

SUPPORT CRADLES



Product	Price
InstaFloor Standard Cradle Base	R 8.70 ea
InstaFloor Base Packer 10mm	R 7.60 ea
InstaFloor Base Packer 30mm	R 20.19 ea
InstaFloor Cradle Packer (Plastic) 2mm	R 92.71 (pack of 25)
InstaFloor Cradle Packer (Plastic) 5mm	R 140.24 (pack of 25)



Recycled rubber is used to form a supporting structure for deck and floor joists. Leveling with packers to provide a quiet solid structure which floats on the base. No drilling into underlying surface. Visit Instafloors website.

BOARDS

SHUTTER PLY



18 mm Standard	Bulk Discount – Buy 20+ and get 5% off.	R 512.74 ea
21 mm Standard	Bulk Discount – Buy 20+ and get 5% off.	R 603.95 ea

i 100% pine ply throughout board. Not sourced from China. It is used for concrete shuttering, boxing, temporary walls. Shutter ply is an economy product and cannot be expected to work in furniture, sub floors and high-quality products. Grade C/C+. Sheet size: 1220x2440mm

FILMFACE PLY



18mm Economy	Bulk Discount – Buy 20+ and get 5% off.	R 658.33 ea
21mm Economy	Bulk Discount – Buy 20+ and get 5% off.	R 797.99 ea

i Film Face Ply with smooth water-resistant coating for concrete shuttering. It can also work well for crating, and temporary walls. The film face is designed to prevent concrete from adhering to the face and therefore paint will not adhere. Sheet size: 1220x2440mm

ORIENTED STRAND BOARD – OSB GRADE 3 BOARD



9 mm Kronospan	Bulk Discount – Buy 20+ and get 5% off.	R 315.49 ea
12 mm Kronospan		R 442.71 ea
15 mm Kronospan	Bulk Discount – Buy 20+ and get 5% off.	R 543.44 ea
18 mm Kronospan		R 626.88 ea

i KronoSpan Superfinish for a smooth surface. Grade 3: For load bearing applications in humid conditions. Sheet size: 1220x2440mm

MARINE EXTERIOR PLY



6 mm		R 674.11 ea
9 mm		R 823.05 ea
12 mm		R 1 241.63 ea
15 mm		R 1 543.92 ea
18 mm		R 1 662.47 ea

i Premium 100% Malaysian hardwood exterior ply. The veneers are bonded with WBP glue which is water and fungal resistant. Note: Ply must still be sealed against moisture to maintain integrity of the board. The “Marine ply” designation does not make the board waterproof. Grade A/A, Sheet size: 1220x2440mm

PINE EXTERIOR BC GRADE PLY



6 mm	R 294.28 ea
9 mm	R 438.88 ea
12 mm	R 643.97 ea
18 mm	R 734.29 ea
21 mm	R 885.42 ea

i 100% Pine exterior ply sourced from South Africa or Brazil. There is NO Chinese poplar (a cheaper substitute) in our board. Manufactured with WBP (waterproof) glue. Grade B/C Sheet size: 1220x2440mm

HARDBOARD FIBERBOARD



3.0 mm Brown	R 138.29 ea
3.0 mm White	R 141.46 ea

i High density fiberboard for construction and furniture. Sheet size: 1220x2440mm

BIRCH LONG GRAIN PLY



6 mm	R 630.80 ea
9 mm	R 903.18 ea
12 mm	R 1 229.21 ea
15 mm	R 1 478.57 ea
18 mm	R 1 760.21 ea

i We specially import our high-quality Birch ply direct from Europe. Ideal for furniture and cupboard use, this ply cuts, routers and sands very well. Grade S/BB Sheet size: 1220x2440mm

INTERIOR PRODUCTS

INTERIOR MOULDINGS

Endura PINE FLOORING



21 x 102 mm	3.0m, 3.6m, 4.2m, 4.8m	R 50.03 /m	R 491 /m2
21 x 132 mm	3.0m, 3.6m, 4.2m, 4.8m	R 67.76 /m	R 514 /m2

i Specially selected and finger-jointed tongue and groove flooring. Clear treated by us to SABS H2 specification with Vacsol Azure.

Endura PINE SOLID CLEAR FLOORING



21 x 102 mm	3.0m	R 52.53 /m	R 515 /m2
21 x 132 mm	3.0m	R 71.15 /m	R 539 /m2

i Specially selected and virtually clear tongue and groove flooring. Clear treated by us to SABS H2 specification with Vacsol Azure.

ENGINEERED OAK FLOORING



15 x 220 mm	2.2m lengths supplied in 2.42m2 boxes	R 999 / m2
-------------	---------------------------------------	------------

i Our engineered oak flooring is specially manufactured with E1 glue. Unfinished – we recommend Rystix or Woodoc floor sealers.

SIBERIAN LARCH SOLID FLOORING



21 x 132 mm	3.6m, 4.0m	R 158.00 /m	R 1196 /m2
21 x 180 mm	3.0m, 6.0m	R 222.00 /m	R 1233 /m2

i Larch is a beautiful timber with Oregon pine fine grain characteristics. Imported from Europe in rough form we do final machining in house.

Endura PINE CEILING



12 x 102 mm Standard V Joint	3.0m, 3.6m, 4.2m, 4.8m	R 37.06 /m	R 364 /m2
12 x 102 mm Square Joint	3.0m, 3.6m, 4.8m	R 37.06 /m	R 364 /m2

i Specially selected and finger-jointed ceiling. Clear treated by us to SABS H2 specification with Vacsol Azure.

Endura PINE SKIRTING



Victorian 20 x 65 mm	3.0m Solid clear	R 29.52 /m
Victorian 20 x 105 mm	3.6m Finger jointed	R 43.30 /m
Victorian 20 x 140 mm		R 59.03 /m

i Classic profile and our best seller for more than 25 years ! Available in 3 sizes and if you prefer solid pine order 3.0m lengths. Supplied untreated.



Bullnose 20 x 65 mm		R 28.94 /m
Bullnose 20 x 105 mm	3.0m Solid clear	R 43.30 /m
Bullnose 20 x 140 mm		R 59.03 /m

i A cleaner basic profile used in modern buildings. Available in 3 sizes and if you prefer solid pine order 3.0m lengths. Supplied untreated.



Shadowline 15x94mm	3.0m Solid	R 19.92 /m
--------------------	------------	------------

i Minimalistic profile for a very low profile look. Supplied untreated.

Endura PINE QUADRANT AND HALF ROUND

	Quadrant 19mm	3.0m	R 12.18 /m	i Our quadrant is manufactured from the best quality South African finger jointed pine and is supplied untreated.
	Quadrant 32mm	3.0m	R 22.53 /m	i Our quadrant is manufactured from the best quality South African finger jointed pine and is supplied untreated.
	Half round 9 x 19mm	3.0m	R 13.61 /m	i Endura Half round 9x19mm manufactured from select South African pine.
	Cornice 50mm coverage	2.4m, 3.0m	R 27.71 /m	i We manufacture our cornice from the best quality South African finger jointed pine. It has a coverage of 50mm in each direction and is available in 2.4m and 3.0m lengths.













SPECIAL PROFILES







All sizes

i We can manufacture special profiles to your specification. Victorian, no center groove. Please ask our sales team.









Endura PINE – PLANED AND UNTREATED

Profile	Planned size	Lengths	Price per metre	
	10 x 40 mm	2.4m, 3.0m	R 21.80 /m	i Endura pine is selected and finger jointed pine, using a waterproof D3 glue, with minimal knots. The superior choice. Some profiles are stocked in solid clear pine depending on raw material availability. SABS Azure Clear H2 treatment is available on special order.
	10 x 70 mm	3.0m	R 30.61 /m	
	20 x 44 mm	1.8m, 2.4m, 3.0m	R 22.69 /m	
	20 x 70 mm	1.8m, 2.4m, 3.0m	R 30.68 /m	
	20 x 105 mm	2.4m, 3.0m, 3.6m	R 43.60 /m	
	20 x 140 mm	2.4m, 3.0m	R 59.44 /m	
	32 x 32 mm	2.4m, 3.0m	R 30.58 /m	
	32 x 44 mm	2.4m, 3.0m	R 33.22 /m	
	32 x 70 mm	2.4m, 3.0m	R 44.98 /m	
	32 x 105 mm	2.4m, 3.0m	R 65.35 /m	
	32 x 140 mm	2.4m, 3.0m	R 89.32 /m	
	40 x 70 mm	3.0m	R 52.21 /m	





STAIRTREADS

	Pine Stair Tread 44 x 300 mm	0.9m, 1.2m	with bullnose	R 407.36 /m	i We laminate our stair treads from selected kiln dried timber using waterproof glue.
	Pine WIDE Stair Tread 44 x 430 mm	1.2m	with bullnose	R 506.97 /m	
	Grandis Stair Tread 44x300mm	1.2m	with bullnose	R 600.16 /m	
	Knysna Blackwood 44x300mm LIMITED STOCK LEFT – CALL US !	1.2m	with bullnose	R 1 004.47 /m	








HANDRAILS

	Pine Handrail 60x100 mm Azure H2 Treated	3.6m 4.8m	10mm Radius corners with 12x72mm rebate	R 196.49 /m	 Use with our Pine 65x65mm posts
	Pine Handrail 44x100 mm Azure H2 Treated	3.6m 4.8m	10mm Radius corners	ETA June 2026 /m	 Use with our Pine 65x65mm posts
	Grandis Handrail 60x100mm	3.6m 4.8m	10mm Radius corners with 12x72mm rebate	R 304.12 /m	 Use with our Red Grandis 65x65mm posts
	Grandis Handrail 44x94mm	3.0m 4.2m	10mm Radius corners	ETA June 2026 /m	 Use with our Red Grandis 65x65mm posts

BALUSTRADES

	Pine SOLID Azure Clear treated	44 x 44 mm	1.2m	Rounded corners	R 47.21 /m	 When used in exterior applications ensure a solid well-maintained sealer is used.
	Grandis Laminated	44 x 44 mm	0.9m, 1.2m	Rounded corners	R 75.11 /m	
	Meranti SOLID	44 x 44 mm	0.9m, 1.2m	Rounded corners	R 65.00 /m	


SHELVING

	Pine	18 x 305 mm Standard shelving	1.8m, 2.4m, 3.0m	R 122 /m
	Pine	18 x 455 mm Standard shelving	1.8m, 2.4m, 3.0m	R 183 /m
	Pine	18 x 610 mm Standard shelving	1.8m, 2.4m, 3.0m	R 244 /m
	Pine	28 x 450 mm Industrial shelving	0.9m, 1.2m, 1.5m, 1.8m	R 262 /m
	Pine	20 x 205 mm Endura Premium shelving	1.8m, 2.4m, 3.0m	R 101 /m
	Pine	20 x 305 mm Endura Premium shelving	1.8m, 2.4m, 3.0m	R 150 /m
	Grandis	16 x 305 mm Endura hardwood shelving	2.4m, 3.0m	R 140 /m

COUNTER TOPS

	Endura SA Pine	35 x 600 mm	2.4m, 3.0m, 3.6m	R 785.19/m
	Endura SA Pine PREMIUM Clear	35 x 600 mm	2.4m, 3.0m, 3.6m	R 854.42/m
	Endura Grandis	35 x 600 mm	2.4m, 3.0m, 3.6m	R 1 249.47/m
	Endura Grandis	33 x 900 mm Wide	2.4m, 3.0m, 3.45m	R 1 810.56/m
	Rubberwood	30 x 600 mm	2.4m, 3.0m, 3.6m	R 982.15/m
	Rubberwood	30 x 900 mm Wide	2.4m, 3.6m	R 1 420.93/m
	Oak	32 x 600 mm	2.4m, 3.0m	R 2 292.13/m
	Oak	32 x 900 mm	3.0m	R 3 588.00/m

SIBERIAN LARCH ROUGH

	25 x 150 mm	3.6m, 4.0m	R 145.38 /m
	25 x 200 mm	3.0m, 6.0m	R 205.30 /m
	32 x 150 mm	4.0m, 6.0m	R 186.06 /m
	38 x 150 mm	3.9m	R 204.10 /m
	38 x 200 mm	3.9m	R 272.13 /m
	50 x 175 mm	3.9m	R 313.32 /m
	50 x 200 mm	3.9m	R 358.07 /m

i Siberian Larch is stocked in rough form and can be machined to various profiles.

Decking and cladding are popular profiles.

EXTERIOR PRODUCTS

PINE CLADDING

	Flat lapboard	13 x 84 mm Lightweight economy cladding	2.4m, 3.0m, 3.6m	R 21.18 /m	R 252 /m2
	Flat lapboard	22 x 130 mm Traditional flat cladding.	2.4m, 3.0m, 3.6m	R 50.43 /m	R 388 /m2
	Double lapboard	22 x 130 mm A 30-year classic cladding.	3.0m, 3.6m	R 50.43 /m	R 388 /m2
	Riverbank Cladding	21 x 130 mm Tongue and groove – our new recommended cladding.	3.0m, 3.6m	R 50.28 /m	R 387 /m2
	Loglap	22 x 98 mm Economical profile	2.4m, 3.0m	R 36.48 /m	R 373 /m2
	Loglap	32 x 130 mm Heavy cladding for a log home effect.	3.0m, 4.8m	R 73.57 /m	R 566 /m2
	Sub flooring	22 x 95 mm Flat finish for walls or floors.	3.0m	R 36.40 /m	R 384 /m2

i CCA Treated timber must be allowed to dry before use to minimize shrinkage.
 On all machined products the width indicates the actual coverage. Only galvanised or stainless-steel nails/screws should be used outside.
 12mm and 15mm Lapboard: 45mm ring shank nails
 22mm Lapboard/Loglap: Recommended: 60mm Stainless Torx deck screw. Alternatively, 63mm ring shank nails can be used.
 32mm Loglap: 100mm Posi-drive screws – stainless recommended.

TIMBER FASCIA, VALLEY BOARD, CAPPING



Fascia board 32 x 220 mm
CCA H3 Treated

3.0m, 3.6m, 4.2m, 4.8m, 5.4m, 6.0m, 6.6m

R 94.95 /m



Capping 22 x 105 mm
CCA H3 Treated

3.0m

R 36.66 /m

FIBRE CEMENT CLADDING



Woodgrain
Cladding

7.5 x 150mm 3.6m R 153.99 ea **R 286 /m2**

5% discount on 40+

7.5 x 225mm 3.6m R 161.00 ea **R 198 /m2**

5% discount on 40+

Maximum stud spacing: 600mm

Use 45mm Galvanized Ring shank nails

25mm overlap

Ends must be Predrilled 20mm from end.

FIBRE CEMENT FASCIA AND BARGE BOARDS



Fibre Cement
Fascia

12 x 225mm 3.6m

R 358.32 ea

5% discount on 20+

Durable fibre cement boards designed for use on roof edges and gables.



Fibre Cement
Barge board

80 x 200mm 3.0m

R 241.94 ea

5% discount on 20+

Resistant to moisture, rot, and insects, they offer excellent dimensional stability and require minimal maintenance, making them ideal for exterior applications.

NUTEC FIBRE CEMENT SHEETS



Smooth sheet

1200 x 2400 mm

9mm

R 434.81 ea

Smooth sheet

1200 x 3000mm

9mm

R 604.05 ea

PINE – PLANED AND CCA H3 TREATED



15 x 70 mm

Rounded 1

1.8m, 2.4m, 3.0m

R 18.91 /m



22 x 44 mm

Planed

2.4m, 3.0m

R 16.81 /m



22 x 70 mm

Planed

1.8m, 2.4m, 3.0m

R 25.32 /m



22 x 105 mm

Rounded

0.9m, 1.2m, 1.5m, 1.8m, 2.1m, 2.4m

R 33.97 /m



22 x 140 mm

Planed

2.4m, 3.0m Valley board

R 50.64 /m



44 x 44 mm

Planed

2.4m

R 45.62 /m



Our pine is selected and machined by us and treated to CCA H3 Exterior specifications.

We recommend finishing your project with Galseal timber oil to keep the timber from drying out.

PINE – ROUGH AND CCA H3 TREATED



19 x 102 mm

Rough

1.8m, 2.4m, 3.0m

R 17.54 /m

5% discount on 100+







Ideal for rough fencing.








Real wood is a uniquely charismatic, beautifully textured material that carries a strong aesthetic message. Thermory offers a broad range of timber cladding boards with a variety of profiles and surface finishes. Our cladding undergoes thermal modification to give the boards unrivalled dimensional stability and durability throughout.



THERMORY PINE PLANED

Profile	Size	Lengths	Price per meter
	42 X 42 mm	3.0m, 3.6m, 4.2m	R 68.66 /m
	42 x 68 mm	3.0m, 3.6m, 4.2m	R 88.00 /m
	42 x 90 mm	3.0m, 3.3m, 3.6m, 4.2m, 4.8m	R 136.00 /m
	42x 140 mm	2.7m, 3.0m, 4.2m, 4.5m, 4.8m	R 198.00 / m

THERMORY CLADDING

Profile	Size	Lengths	Price /m	Price /m2	
	Thermory Pine 20 x 65 mm	3.6m	R 54.55/m	R 839/m2	With its low moisture absorption, thermo-pine twists, cups and bends less than untreated wood in outdoor use, with less shrinkage and expansion
	Thermory Pine 32 x 140 mm	3.6m, 4.2m, 4.8m	R 152.00/m	R 1 086/m2	With its low moisture absorption, thermo-pine twists, cups and bends less than untreated wood in outdoor use, with less shrinkage and expansion
	Thermory Spruce 19 x 141 mm	3.9m, 4.2m, 4.5m, 4.8m	R 105.00/m	R 745/m2	Thermally modified spruce is a softwood solution that offers exceptional rot resistance and longevity.
	Thermory Ignite 20 x 186 mm	5.4m	R 210.00/m	R 1 129/m2	Inspired by the Japanese yakisugi technique, Ignite features a striking dragon-scale texture, achieved through an innovative embossing and tinting process—without the fragility of traditional charring.
	Thermory Dune 20 x 186 mm	3.6m	R 190.00/m	R 1022 /m2	Dune by Thermory evokes the spirit of the desert, combining ruggedly worn spruce panels with a strikingly natural look and feel, all with the durability and dimensional stability that intense thermal modification provides.



Retail pricelist: 18 May 2026
Our general terms and conditions apply
All prices include 15% VAT


021 8458713 www.somtim.co.za
257 Broadlands Road, Strand, 7140
South Africa



All pricing is to be used as a guide only and is subject to change.

HARDWOODS









GARAPA HARDWOOD – ROUGH (PLANED ON ORDER)

Profile	Rough size	Planed size	Lengths	Price /m rough
	41x155mm	35x148mm	Please enquire on stock	R 275.00 /m
	41x230mm	35x220mm	Please enquire on stock	R 508.00 /m
	52x155mm	46x148mm	Please enquire on stock	R 365.00 /m
	52x230mm	46x220mm	Please enquire on stock	R 577.00 /m
	77x155mm	70x148mm	Please enquire on stock	R 595.00 /m
	77x230mm	70x220mm	Please enquire on stock	R 890.00 /m



This product is stocked in Nominal size and planing is as an extra charge on order. (3-5 working days)
 Garapa is subject to surface oxidation and will go grey if left unfinished. We recommend regular oiling using our Galseal sealers.
 We can rip and machine to your requirements **at an additional charge.**
 This will be done on fully pre- paid orders only.




MERANTI HARDWOOD – PLANED

Profile	Planed size	Lengths	Price per meter
	10 x 40 mm	1.8m, 2.4m, 3.0m	R 29.00 /m
	20 x 44 mm	1.8m, 2.4m, 3.0m, 3.6m	R 34.50 /m
	20 x 70 mm	1.8m, 2.4m, 3.0m	R 49.80 /m
	20 x 94 mm	1.8m, 2.4m, 3.0m, 3.6m	R 77.00 /m
	32 x 105 mm	3.05m, 3.66m	R 125.00/m
	32 x 220 mm	3.05m, 3.66m, 4.27m, 4.88m, 6.09m	R 245.00 /m
	44 x 44 mm*	3.05m, 3.66m, 4.27m	R 67.00 /m
	44 x 70 mm	3.05m, 3.66m, 4.27m	R 103.00 /m
	44 x 105 mm	3.05m, 3.66m, 4.27m, 4.88m	R 150.00 /m
	44 x 144 mm	2.44m, 3.05m, 3.66m, 4.27m, 4.88m	R 208.00 /m
	44 x 220 mm	3.05m, 3.66m, 4.27m, 4.88m, 6.09m	R 329.00 /m
	70 x 144 mm	3.05m, 3.66m, 4.27m, 4.88m, 6.09m	R 345.00 /m



The classic medium density hardwood.
 Used for decades in South Africa for pergolas, windows, doors. Dimensionally stable and easy to work with.
 We stock planed Meranti in our custom racking system ready to go – no waiting!
 Some pinholes are expected but this is normal and residual evidence of insects which are no longer present
 *44x44mm is rounded on all edges – perfect for balustrading or pergola strips.

GRANDIS HARDWOOD - PLANED

Profile	Planed size	Lengths	Price per meter
	20 x 44 mm	1.8m, 2.4m, 3.0m	R 37.46 /m
	20 x 70 mm	1.8m, 2.4m, 3.0m	R 48.18 /m
	20 x 140 mm	2.4m, 3.0m	R 107.92 /m



Grandis is a FSC Certified sustainable hardwood ideal for exterior use, decking.
 Finish with an oil-based sealer such as Rystix Timbacare for best long-term protection.

POLES

TAPERED PINE POLES

	Class 2 50-79mm	Class 3 80-99mm	Class 4 100-119mm	Class 5 120-139mm	Class 6 140-159mm	Class 7 160-179mm	Class 8 180-199mm
1.5m	X	R 106.39	X	X	X	X	X
1.8m	R 64.93	R 130.25	R 177.39	R 244.25	X	X	X
2.1m	R 78.79	R 158.51	R 210.82	R 288.84	X	X	X
2.4m	R 94.01	R 185.96	R 245.18	R 335.27	R 578.82	R 734.23	X
2.7m	R 108.76	R 213.39	R 281.40	X	X	X	X
3.0m	R 123.50	R 244.44	R 325.09	R 442.01	R 742.80	R 939.82	R 1 158.86
3.6m		R 309.32	R 403.99	R 546.57	R 915.35	R 1 153.97	R 1 420.74
4.2m		R 375.74	R 487.65	R 656.84	R 1 095.22	R 1 376.69	R 1 691.19
4.8m		X	R 615.77	R 771.87	R 1 283.69	R 1 609.20	R 1 972.64
5.4m		X	R 638.24	X	X	X	X
6.0m		R 628.45	R 875.08	R 1 161.73	R 1 716.40	R 2 141.14	R 2 613.22

i Our poles are



Manufactured to SABS 457 specification.

CCA Treated to SABS CCA H4 specification.

i SABS 457 specification states that tapered poles are classed (measured) on the THIN end of the pole only. Eg. A 80-99mm pole will measure between 80mm and 99mm on the THIN end. The thick end is not measured and may be thicker due to natural taper of timber poles which varies.


i **CORRECT METHOD OF PLANTING TAPERED POLES**

If a treated pole or post is planted in the ground it is essential that you allow drainage of rainwater.

Do not enclose the planted end of the post in the concrete.

If you need to use concrete, let the concrete form a collar around the post with the end protruding through the concrete.

If you plant the post on concrete at the bottom of the hole, let the concrete set before planting the post.



CYLINDRICAL PINE POLES

	100mm	125mm	150mm
1.8m	R 199.21		
2.4m	R 264.73	R 414.32	
3.0m	R 322.02	R 517.95	R 745.13
3.6m		R 620.76	R 894.16
4.8m		R 900.97	R 1 297.46
6.0m		R 1 126.14	R 1 621.74

i Cylindrical poles are the same diameter on the full length.

CCA Treated to SABS CCA H4 specification

It is NOT RECOMMENDED to plant cylindrical poles in the ground.

Cylindrical poles are inherently not as strong as tapered poles and should NOT be used for bearer applications.

Other sizes and lengths are available on order.



Retail pricelist: 18 May 2026
Our general terms and conditions apply
All prices include 15% VAT

021 8458713 www.somtim.co.za
257 Broadlands Road, Strand, 7140
South Africa



All pricing is to be used as a guide only and is subject to change.

LATHS AND DROPPERS

	Laths 15-35 mm	Droppers 35-49 mm
1.8 m	R 11.40	R 19.39
2.4 m	R 17.13	R 27.87
3.0 m	R 24.07	R 37.57

- i** Laths are packed and sold in bundles of 10.
- Laths vary between 15 and 35mm on the thin end.
- Droppers vary between 35 and 49mm on the thin end.
- Treated with CCA to SABS CCA H3 Exterior specification.

SPLIT POLES

	50-79 mm	80-99 mm	100-119 mm
1.8 m	R 32.97	R 68.70	X
2.4 m	R 43.55	R 95.92	R 131.23
3.0 m	X	R 113.17	R 170.01

- i** CCA Treated to SABS CCA H3
- Manufactured to SABS 1288 Specification
- Untreated available on order.

PLANTER BOXES



	Width	Length	Height	Internal depth	Price each
Small	300mm	500mm	245mm	170mm	R 277
Medium	360mm	715mm	355mm	265mm	R 498
Large	715mm	715mm	355mm	265mm	R 741
Long	360mm	1000mm	355mm	265mm	R 563

- i** Manufactured from fully SABS CCA H3 treated timber.
- Solidly built by us to last.
- Built in handles for easy handling

DELIVERY CHARGES

Zone A – Helderberg area	R 395.00 per trip
Zone B – Cape Town region and surrounds	R 750.00 per trip
Zone C - Outer regions	R 1 350.00 per trip

- i** Delivery is by 10-ton truck measuring 9 m long. If this is not suitable for your site, please advise us so that we can plan accordingly with a suitable vehicle.
- All deliveries at curb side.





WHAT IS ENDURA?

Endura™ is a range of quality timber and related products for the construction and DIY sector manufactured by Somerset Timbers production division.

Raw material is sourced from throughout South Africa and carefully selected and graded.

Using high quality sustainable raw materials, the latest manufacturing techniques combined with a highly experienced team, Endura™ delivers quality products.

OUR MANUFACTURING

High quality moulding with on-site tool sharpening allows strict control of the entire moulding process.



Our lamination plant allows specialised laminating with hydraulic or pneumatic presses to provide superb posts, beams, shelving and counter tops.

We control all processes from beginning to end to ensure a quality product at the right price.




WHAT IS FINGER-JOINTING?

Timber is a natural product with different characteristics, knots and natural defects. To allow maximum use of our natural resources, timber is finger jointed. This is a highly specialised process.

Raw timber is processed through our automated knot and defect removal crosscut. A specialised finger-joint profile is machined to the ends of the timber. High quality industrial glue is applied to the open joints and the timber is pressed together with hydraulic presses.

Once dry, this joint is stronger than the original timber and allows for high quality stable products in any length.



TIMBER PRESERVATION PLANT ON SITE

Our SABS quality-controlled pressure treatment plant applies specialised preservatives using large high pressure tanks.

We have 2 treatment plants on site and treat CCA to H3 or H4 specifications. This leaves a green tinge to the timber. It is a water-based process and suitable for exterior use under certain H (Hazard) classes.

Our Vacsol Azure clear treatment is a solvent-based process and does not change the colour of the timber. Timber treated with Vacsol Azure is suitable for interior use only.



RENEWABLE ENERGY AND RESOURCES



80% of the electricity used by our factory, sales office and treatment plant is generated on site using our solar PV generating system. All water consumed in our treatment plant and for general services is sourced from rainwater tanks and our on-site dam. No municipal water is used for these processes.

We are committed to continuous improvement in our energy usage and to minimizing consumption of consumables as much as possible.



Retail pricelist: 18 May 2026
Our general terms and conditions apply
All prices include 15% VAT

021 8458713 www.somtim.co.za
257 Broadlands Road, Strand, 7140
South Africa



All pricing is to be used as a guide only and is subject to change.

ABOUT US

Somerset Timbers has been manufacturing, treating and supplying timber and related products for over 26 years.

Our 10ha site in the Helderberg region of the Western Cape comprises manufacturing, treatment and warehousing facilities. Our fleet of delivery vehicles deliver throughout the Cape Town and Boland regions.

We are a family-owned business and a direct local employer of over 90 valued people.

Our experienced sales team is focused on providing top quality products, expert advice and prompt service.

Our website www.somtim.co.za always contains the latest version of this price list as well as more detailed information on our range of products.

If you have any queries, please do not hesitate to contact our Sales team on 021 8458713 or sales@somtim.co.za

Somerset Timbers (Pty) Ltd

257 Broadlands Road, Strand, 7140

Western Cape, South Africa


VAT Reg no. 4210159853

GENERAL TERMS AND CONDITIONS

1. All prices on this document include VAT @ 15% and are subject to change without notice.
2. The Customer will be deemed to have accepted the goods as being in accordance with the order placed unless notified of a claim within 14 days of receipt of the goods.
3. Any return of goods may be subject to a 10% restocking fee as well as a collection fee.
4. Any goods to be returned must be in good saleable condition and accompanied by an original invoice number and must be returned within 30 days.
5. All goods remain the property of Somerset Timbers until payment has been made in full by the Customer.
6. Where the goods have been supplied in terms of any drawings or specifications, we shall not in any way be responsible for any loss or injury resulting from such goods being inadequate or unsuitable for the purpose required.

TRADING TIMES

Monday to Thursday	07:30 to 17:00
Friday	07:30 to 16:00
Saturday and public holidays	Closed



Google directions: <https://maps.app.goo.gl/nDaBgrbwTrrMiQqU6>



Retail pricelist: 18 May 2026
 Our general terms and conditions apply
 All prices include 15% VAT

021 8458713 www.somtim.co.za
 257 Broadlands Road, Strand, 7140
 South Africa



All pricing is to be used as a guide only and is subject to change.